

**To:** Butterfield, W. Scott[W.S.Butterfield@WestonSolutions.com]  
**Cc:** Ackerman, Joyce[Ackerman.Joyce@epa.gov]  
**From:** Houston, Maria  
**Sent:** Thur 8/13/2015 2:07:54 PM  
**Subject:** RE: TDD 0001/1508-04 Gold King Mine Blowout; Waiver From Contract Clause B.4 Travel, (d) (i) the Contractor's Primary mobilization point

Scott – you have CO approval for the below action. Please be sure to document any invoicing done pursuant to this approval with a copy of this e-mail. Thanks!

**Cheers,**

**Maria**

K. Maria Houston

Contracting Officer, Acquisition Mgmt Unit

USEPA, Region 8, Denver, CO 80202

PH: 303-312-7022

**From:** Butterfield, W. Scott [mailto:W.S.Butterfield@WestonSolutions.com]  
**Sent:** Tuesday, August 11, 2015 3:01 PM  
**To:** Houston, Maria  
**Cc:** Ackerman, Joyce  
**Subject:** TDD 0001/1508-04 Gold King Mine Blowout; Waiver From Contract Clause B.4 Travel, (d) (i) the Contractor's Primary mobilization point

Maria,

The staffing requirements for the Gold King Mine Blowout response necessitate the mobilization of technical staff from outside Region 8. Since no travel costs for the mobilization of personnel outside of the Region 8 primary mobilization point (Denver) are include in the contract fixed labor rates Weston respectfully requests a waiver to allow billing of travel costs to the site from actual mobilization points beyond the primary mobilization point. Please let me know if you require additional information.

Thank you.

-Scott

W. Scott Butterfield, CHMM

Program Manager

Weston Solutions, Inc.

Suite 100

1435 Garrison Street

Lakewood, CO 80215

303.729.6113

720.557.0818 (cell)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.